

Inesscents Aromatic Botanicals

Las Vegas, NV 89103

operations@inesscents.com (541) 482-2799 Lic #

Strain: CBD Bath Fizz – Tropical Citrus 3.5oz

Certificate of Analysis Powered by Confident Cannabis

Ordered: 07/28/2022; Sampled: 08/01/2022; Completed: 08/11/2022; Analyzed: 08/09/2022 <u> CBD Bath Fizz – Tropical Citrus 3.5oz</u> Topical, Bath Salts, CO2 B v labs B v labs B v labs > labs labs APPROVED APPROVED APPROVED APPROVED APPROVED Pesticides Microbials Heavy Metals Foreign Matter Solvents Mycotoxins Terpenes Cannabinoid Relative Concentration Analyzed by 300.18 UHPLC/PDA Analyzed by 300.13 GC/FID and GC/MS Not Tested 727.897 mg/unit <LOQ 40.297 mg/unit pH: NT Total Terpenes $\Delta 9$ -THC + $\Delta 8$ -THC CBD Aw: NT Compound 100 **Relative Concentration** Mass Mass 40.297 mg/unit Not Tested mg/unit mg/unit mg/g **Total Cannabinoids** Homogeneity p-Cymene 10.133 455.000 4.586 Compound **Relative Concentration** Mass Mass δ-Limonene 10.133 260.056 2.621 mg/unit mg/g CBC CBCa <LOQ <LOQ 12.841 0.129 <LOQ cis-Ocimene 6.586 <LOO α-Bisabolol 10.133 <LOQ <LOQ CBD 40.297 0.406 α-Humulene 10.133 <LOQ <LOQ CBDa <LOQ <LOQ <L00 CBDV <LOQ 10 133 <LOQ <LOQ α-Pinene CBDVa <100 <LOO 10.133 <LOO <LOO α-Terpinene <LOQ <LOQ CBG <LOQ <LOO β-Caryophyllene 10.133 <LOQ <LOQ CBGa <LOQ CBL <LOO 10.133 <LOQ <LOQ β-Myrcene CBN <LOQ <LOQ β-Pinene 10.133 <LOQ <LOQ <LOQ **∆8-THC** <LOQ ∆9-THC <LOO <LOO 10.133 <LOQ <LOQ Camphene <LOQ THCa <LOO <LOQ <LOQ Caryophyllene Oxide 10.133 THCV <LOQ <LOQ <LOO THCVa <LOC cis-Nerolidol 6.586 <LOQ <LOQ 10.133 δ-3-Carene <LOQ <LOQ 1 Unit = CBD Bath Fizz - Tropical Citrus 3.5oz, 99.2233g Eucalyptol 10.133 <LOQ <LOQ Total THC = 0.877 x THC-A + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD y-Terpinene 10.133 <LOQ <LOQ 10.133 <LOQ <LOQ Geraniol 10.133 Guaiol <100 <100 CBD Isopulegol 10.133 <LOQ <LOQ 10.133 <LOQ <LOQ Linalool Terpinolene <LOQ <LOQ

Notes: Updated units.

Iac-MRA

trans-Nerolidol

trans-Ocimene

By - Sm. Cl Benjamin G.M. Chew, Ph.D.

<LOQ <LOQ

<LOQ <LOQ

3.547

3.547

Glen Marquez

This report is considered with the measurement result reported in this certificate is available from the organization upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on Nevada Regulations.

Sample: 2207DBL0119.4085.R1

METRC Sample: Lot #: 262207

🖹 labs

4439 Polaris Ave Las Vegas, NV

> (702) 728-5180 www.dblabslv.com



Inesscents Aromatic Botanicals

Las Vegas, NV 89103

operations@inesscents.com (541) 482-2799 Lic.#


Strain: CBD Bath Fizz - Tropical Citrus 3.5oz Ordered: 07/28/2022; Sampled: 08/01/2022; Completed: 08/11/2022; Analyzed: 08/09/2022

Certificate of Analysis Powered by Confident Cannabis

CBD Bath Fizz – Tropical Citrus 3.5oz

Topical, Bath Salts, CO2

Pesticides Analyzed by 300.9 LC/MS/MS and G	C/MS/MS			Pass
Compound	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Abamectin	10	0	<loo< td=""><td>Pass</td></loo<>	Pass
Acequinocyl	10	4000	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	10	0	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	10	0	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	10	0	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethomorph	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Fenhexamid	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	10	500	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	10	500	<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Paclobutrazol	10	0	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	10	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins	10	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Quintozene	10	800	<loq< td=""><td>Pass</td></loq<>	Pass
Spinetoram	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Spirotetramat	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	10	400	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
Plant Growth Regulators	10	50	<loq< td=""><td>Pass</td></loq<>	Pass



Mycotoxins Analyzed by 300.2 Elisa		Not Tested		
Mycotoxin	LOQ	Limit	Mass	Status

Heavy Metal Analyzed by 300.8 ICP				Pass
Element	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	311-
Arsenic	42	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	42	820	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	42	1200	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	42	400	<loq< td=""><td>Pass</td></loq<>	Pass

Residual Solv Analyzed by 300.13 GC				Pass
Compound	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Butanes	65	500	<loq< td=""><td>Pass</td></loq<>	Pass
Ethanol	65		70	Tested
Heptanes	65	500	<loq< td=""><td>Pass</td></loq<>	Pass
Propane	65	500	<loq< td=""><td>Pass</td></loq<>	Pass

Iac-MRA

By - Sm. Cla Benjamin G.M. Chew, Ph.D.

Glen Marquez

This report is considered highly confidential and the poperty effects. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. Pesticide LOQ = Instrument Limit of Quantitation. NA = Not Applicable. ND = Not Detected. NR = Not Reported. NT = Not Reported. NT = Not Reported within specifications established by the State of Numerous to Count (microbial). PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by The Laboratory. This product has been tested by DB Labs, LLC (MME# 61887736101164527568) using wild testing methodologies and a quality system as required by Nevada state law. Edibles are picked up prior to final packaging unless otherwise stated. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The uncertainty of measurement associated with the measurement result reported in this certificate is available from the organization upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on Nevada Regulations.



METRC Sample: Lot #: 262207





(702) 728-5180 www.dblabslv.com